

## COLONOSCOPY MIRALAX SPLIT DOSE NEXT-DAY

Patient	Doctor_		
_ocation	Date	Procedure Time	AM/PM
Arrival Time	AM/PM		
**Continuo	e to hold medications as previou	sly instructed until further notice**	
, , ,		e, remain at the facility during your procedur e any questions, please call 704-377-4009.	e and take you
Today's procedure was incomp	lete because there was still stool	in your colon. You will need to drink add	ditional laxative
solution to clean your colon. It	is recommended you drink the ent	ire solution for the most effective clean	sing. <b>Read these</b>

## **PURCHASE AT ANY PHARMACY (NO PRESCRIPTION REQUIRED):**

instructions completely before beginning the preparation!

- Miralax/Glycolax-one (1) 238-gram bottle
- Gatorade-64 ounces (not red or purple)

## 6 pm today:

Pour the bottle of MiraLAX® and 64 ounces of Gatorade into a large pitcher and mix well until MiraLAX® is completely dissolved. Drink one (1) 8-ounce glass every 10-15 minutes until HALF of the mixture is gone.

\*If you experience nausea, slow down the pace of drinking or take a short break, then resume drinking. It is important to continue drinking clear liquids until bedtime\*

<u>6 hours before your procedure time:</u> Drink the remaining HALF of the prep solution until all is gone. <u>This should be completed</u> within 4 hours of procedure start time.

Please Note: Depending on your procedure time, taking the second dose of MIRALAX may involve getting up in the middle of the night.

<u>Do not eat or drink anything 4 hours prior to your procedure time. No gum/mints/hard candies/ice on the day of your procedure.</u>

If you take blood pressure medication, you can take it the morning of your procedure with a sip of water.